

Yato | Code YT-82076 | Sku 1082076

DRYWALL SCREWDRIVER 18V - BODY



Overview

The cordless screwdriver was designed for professionals and advanced users who require a reliable tool for working with plasterboard, wood, and wood-based materials. It provides efficiency, speed, and repeatable precision during assembly, while maintaining modern ergonomic principles and high-quality work. Thanks to the electronic speed control and rotation direction adjustment, it allows you to adjust the work parameters to the type of material and screw length. It significantly reduces the time spent on adaptations in attics, suspended ceilings, and partition walls made of plasterboard. Key features: Rotational speed up to 4000 rpm ensures rapid screwing of screws with a diameter of 3.5-4.2 mm and a length of 25-55 mm. The tool's light weight (1.49 kg) and compact design minimize fatigue even during prolonged use, maintaining ergonomics and work comfort. Wireless design with an 18 V Li-Ion battery provides mobility and long working time without interruptions. The battery charge indicator allows you to monitor the available energy level continuously. Versatility of applications thanks to handling both tape screws and individual screws. Attachments and adapters increase flexibility in various projects. Durability and safety in daily, intensive use guaranteed by a solid construction. 1/4" (6.3 mm) hexagonal chuck and speed adjustment allow you to work with full control over torque and screw depth. Specifications: Speed: 0-4000 rpm Voltage: 18 V Tool chuck: 1/4" (6.3 mm) hexagonal Tape screw diameter: 3.5-4.2 mm Tape screw length: 25-55 mm Electronically adjustable rotational speed Rotation direction switch Protection class: IPX0 Tool weight: 1.49 kg Battery charge indicator 4 Ah Li-Ion battery Kit contents: single screw attachment, tape screw attachment, extension adapter, and screwdriver bit Available versions: YT-82075 - with 4 Ah battery and fast 2-hour charger YT-82076 - without battery

Key Technical Specifications

Brand	Yato
Stroke	no
Symbol	YT-82076
Weight	1.49 kg

Voltage	18 V d.c.
Rotations	0-4000 min ¹
Vibrations	1.63 ± 1.5 m/s ²
Application	plasterboards, wood, wood-based materials
Holder size	1/4" (6.3 mm)
Battery type	Li-Ion
Set includes	belt screwdriver, single screw attachment, tape screw attachment, extension adapter, screwdriver bit
Producer code	5906083116940
Acoustic power	80.0 ± 3.0 dB(A)
Rotation switch	yes
Toolholder type	hexagonal
Battery quantity	none
Charger included	no
Protection grade	IPX0
Work mode switch	no
Acoustic pressure	72.0 ± 3.0 dB(A)
Collated screws length	25-55 mm
Collated screws diameter	3.5-4.2 mm
Electric insulation class	III
Electronic rotation adjustment	yes

Key Points

- Rotational speed up to 4000 rpm ensures rapid screwing of screws with a diameter of 3.5-4.2 mm and a length of 25-55 mm.
- The tool's light weight (1.49 kg) and compact design minimize fatigue even during prolonged use, maintaining ergonomics and work comfort.
- Wireless design with an 18 V Li-Ion battery provides mobility and long working time without interruptions.
- The battery charge indicator allows you to monitor the available energy level continuously.
- Versatility of applications thanks to handling both tape screws and individual screws.
- Attachments and adapters increase flexibility in various projects.
- Durability and safety in daily, intensive use guaranteed by a solid construction.
- 1/4" (6.3 mm) hexagonal chuck and speed adjustment allow you to work with full control over torque and screw depth.
- Speed: 0-4000 rpm
- Voltage: 18 V
- Tool chuck: 1/4" (6.3 mm) hexagonal
- Tape screw diameter: 3.5-4.2 mm
- Tape screw length: 25-55 mm
- Electronically adjustable rotational speed

-
- Rotation direction switch
 - Protection class: IPX0
 - Tool weight: 1.49 kg
 - Battery charge indicator
 - 4 Ah Li-Ion battery
 - Kit contents: single screw attachment, tape screw attachment, extension adapter, and screwdriver bit
 - YT-82075 - with 4 Ah battery and fast 2-hour charger
 - YT-82076 - without battery