

Ledlenser | Code 503109 | Sku 818271

Ledlenser P5R



Short Description

Compact rechargeable Ledlenser P5R flashlight with USB-C charging, Advanced Focus System, four brightness levels, 750 lumens maximum output and IP68 protection.

Technical Specifications

Brand	Ledlenser
Model	P5R
Mfr part no.	503109
SKU	818271
Type	Rechargeable flashlight
Length	121 mm
Head Diameter	30 mm
Tube Diameter	22 mm
Weight	99 g
Beam Distance	280 m
Beam Distance By Mode	Boost: 280 m; Power: 180 m; Mid power: 100 m; Low power: 50 m
Maximum Luminous Flux	750 lm
Luminous Flux By Mode	Boost: 750 lm; Power: 350 lm; Mid power: 100 lm; Low power: 25 lm
Runtime	20 h
Runtime By Mode	Boost: -; Power: 1 h; Mid power: 4 h; Low power: 20 h
Light Functions	Boost, Power, Mid Power and Low Power
Led Count	1
Lightsource Color	Cool White
Lightsource Color Temperature	6000 - 7500
Color Rendering Index	70

Charging Time	180 minutes
Voltage	3.7 V
Battery Type	Lithium-ion, 14500
Battery Capacity	920 mAh
Battery Energy	3.404 Wh
Battery Quantity	1
Rechargeable	Yes
Switch Type	Front switch
Materials	Aluminum alloy
Special Functions	Rechargeable and replaceable battery; USB-C charging; Dual Power Source; four brightness levels; Advanced Focus System; Energy Status Indicator; Transport Lock; Temperature Control System
Drop Test Height	2 m
Working Temperature	-20 - 40 °C
Water And Dust Resistance	IP68

Description

The Ledlenser P5R is a compact, rechargeable flashlight designed for everyday, outdoor, household and utility lighting. It combines an Advanced Focus System for adjustable spot-to-flood beam control with four brightness levels, one-button operation, USB-C charging, a replaceable rechargeable battery and a durable aluminum-alloy housing.

Key Features

- Advanced Focus System for adjustable spot-to-flood beam control
- Rechargeable and replaceable battery
- USB-C charging
- Intuitive one-button operation
- Transportation lock to help prevent accidental activation
- Made with 75% recycled aluminum
- Temperature Control System
- Battery, charging and low-battery indicators
- Dual Power Source

Applications

- Everyday carry and general illumination
- Outdoor use
- Household and garden work
- Utility and maintenance lighting
- Emergency and backup lighting

What's Included

- 1 set of rechargeable batteries (14500)
- Adjustable hand strap
- Charging cable (USB-C)